Hits \ 226	Search Text	DB	Time stamp
226			
220	((database) or (data adj base) or (database)) same wildcard\$2	USPAT; US-PGPUB; EPO; JPO;	2003/07/07 10:51
321	(wildcard\$2 or wild-card\$4) AND (ip! ADJ2 address\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/07 10:51
90,	<pre>(wildcard\$2 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/07 10:52
3319197	wild NEAR4 card\$1 NEAR\$4 rang\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/07 10:53
30	((wildcard\$1 (wild near2 card\$1))) and (four near3 rang\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/07 10:53
25655	(wild NEAR4 card\$1 NEAR\$4 rang\$3) and (sub\$5 NEAR4 number\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/07
30	((wildcard\$1 (wild near2 card\$1))) and (four near3 rang\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/07 10:55
18	<pre>(represent\$3 near3 (wildcard\$2 or wild-card\$4)) same determin\$4</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/07 10:55
120	((data-base) or (data adj base) or (database)) same wildcard\$2	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/07 10:51
212	707/.ccls. and wildcard\$2	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/02/26 11:28
610	707/6.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/02/26 13:47
19582	data adj compression\$2	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/02/26
265	(data adj compression\$2) same database	DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/02/26 13:35
210	((data adj compression\$2) same database) and memory	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/02/26
	90 3319197 30 25655 30 18 120 212 610 19582	address\$2) 90 (wildcard\$2 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2) 3319197 wild NEAR4 card\$1 NEAR\$4 rang\$3 30 ((wildcard\$1 (wild near2 card\$1))) and (four near3 rang\$3) 25655 (wild NEAR4 card\$1 NEAR\$4 rang\$3) and (sub\$5 NEAR4 number\$1) 30 ((wildcard\$1 (wild near2 card\$1))) and (four near3 rang\$3) 18 (represent\$3 near3 (wildcard\$2 or wild-card\$4)) same determin\$4 120 ((data-base) or (data adj base) or (database)) same wildcard\$2 212 707/.ccls. and wildcard\$2 215 (data adj compression\$2) same database 210 ((data adj compression\$2) same database)	DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; JPO; DERWENT; I

Search History 7/7/03 10:56:02 AM Page 1

_	5	((((data adj compression\$2) same database	USPAT;	2002/02/26
) and memory) and range) and wild\$4	US-PGPUB;	13:38
			EPO; JPO;	
1			DERWENT;	
		l	IBM_TDB	
-	132	(((data adj compression\$2) same database	USPAT;	2002/02/26
) and memory) and range	US-PGPUB;	13:42
			EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
-	813	707/101.ccls.	USPAT;	2002/02/26
			US-PGPUB;	14:33
	ł		EPO; JPO;	
			DERWENT;	
	114	(IBM_TDB	2222 (27 (27
-	114	(wildcard\$2 OR wild-card\$4) AND (ip! ADJ2	USPAT;	2003/07/07
		address\$2)	US-PGPUB;	10:51
	İ		EPO; JPO;	
			DERWENT;	
_	25	/wildonder OB wild-condes TND (condes	IBM_TDB	2002/07/07
_	25	<pre>(wildcard\$2 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2</pre>	USPAT;	2003/07/07
		OK range\$2 OK Ordered!) SAME (1p: ADJ2 address\$2)	US-PGPUB;	10:51
		address471	EPO; JPO;	
			DERWENT; IBM TDB	
1_	364	370/397.ccls.		2002/02/26
	304	310/391.CCIS.	USPAT; US-PGPUB;	2002/02/26 15:09
				15:09
			EPO; JPO;	
			DERWENT; IBM TDB	
_	90	370/397.ccls. and IP!	USPAT;	2002/02/26
	90	3707397.CCIS. and IF:	US-PGPUB;	15:17
			EPO; JPO;	15:17
			DERWENT;	
			IBM TDB	
_	35	370/399.ccls. and IP!	USPAT;	2002/02/26
		3707333.0013. und 11.	US-PGPUB;	15:19
			EPO; JPO;	13.13
			DERWENT;	
			IBM TDB	
_	517	370/401.ccls. and IP!	USPAT;	2002/02/26
			US-PGPUB;	15:19
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	59	370/409.ccls. and IP!	USPAT;	2002/02/26
1			US-PGPUB;	15:19
			EPO; JPO;	
}			DERWENT;	
			IBM_TDB	
-	829	wildcard\$2 OR wild-card\$4	USPAT;	2002/02/27
			US-PGPUB;	09:33
			EPO; JPO;	
]			DERWENT;	
		/ 13.3 140 ap 13.3	IBM_TDB	
-	718	(wildcard\$2 OR wild-card\$4) AND number\$2	USPAT;	2002/02/27
		AND data	US-PGPUB;	09:35
			EPO; JPO;	
1			DERWENT;	
l _	92	/vildande2 OD vildde4) and	IBM_TDB	2002/02/27
-	92	<pre>(wildcard\$2 OR wild-card\$4) SAME number\$2 SAME data</pre>	USPAT;	2002/02/27
		SAME GALA	US-PGPUB;	11:15
			EPO; JPO;	
			DERWENT;	
] _	44	determin\$4 near5 (wildcard\$2 or	IBM_TDB	2002/02/27
	3.4	wild-card\$4)	USPAT;	12:41
		wild Caldii	US-PGPUB; EPO; JPO;	17:41
			DERWENT;	
1				
<u> </u>			IBM TDB	

_	2	("6138123").PN.	USPAT;	2002/02/27
			US-PGPUB;	12:44
			EPO; JPO; DERWENT;	
			IBM TDB	
_	69	represent\$4 near3 (wildcard\$2 or	USPAT;	2002/02/27
		wild-card\$4)	US-PGPUB;	12:47
			EPO; JPO;	
			DERWENT;	
1_	65	 (represent\$4 near3 (wildcard\$2 or	IBM_TDB USPAT;	2002/02/27
	03	wild-card\$4)) and determin\$4	US-PGPUB;	12:47
	<u> </u>	Wild Galdy 177 and decellarity 1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14	(represent\$4 near3 (wildcard\$2 or	USPAT;	2003/07/07
		wild-card\$4)) same determin\$4	US-PGPUB;	10:52
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	("6151631").PN.	USPAT;	2002/02/28
]	<u>'</u>	US-PGPUB;	12:46
			EPO; JPO;	
			DERWENT;	
		(#6026209#\ px	IBM_TDB	2002/02/22
_	2	("6026398").PN.	USPAT; US-PGPUB;	2002/02/28 12:49
			EPO; JPO;	14.43
			DERWENT;	
			IBM TDB	
-	2	("6263341").PN.	USPĀT;	2002/02/28
			US-PGPUB;	12:49
			EPO; JPO;	
Ì			DERWENT; IBM TDB	
_	3	telephone near5 wildcards	USPAT;	2002/02/28
		delephone nears willacards	US-PGPUB;	12:51
1			EPO; JPO;	
			DERWENT;	
	2024154	13.1.2224	IBM_TDB	
-	3034154	wild NEAR4 card\$1 NEAR\$4 rang\$4	USPAT; US-PGPUB;	2003/07/07
			EPO; JPO;	10:51
	İ		DERWENT;	
			IBM TDB	
-	27355	(wild NEAR4 card\$1 NEAR\$4 rang\$4) and	USPAT;	2003/07/07
		(sub\$5 NEAR4 number\$1)	US-PGPUB;	10:51
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1051	(wildcard\$2 OR wild-card\$4)	USPAT;	2002/09/06
			US-PGPUB;	14:16
			EPO; JPO;	
			DERWENT;	
	-	//mildmmd62 op mild ====d64)	IBM_TDB	0000/00/05
-	5	((wildcard\$2 OR wild-card\$4)) near5 rang\$4 near5 number\$2	USPAT; US-PGPUB;	2002/09/06
		Tangy Hears Humbers	EPO; JPO;	14.20
			DERWENT;	
			IBM_TDB	
-	8	((wildcard\$2 OR wild-card\$4)) near10	USPĀT;	2002/09/06
		rang\$4 near10 number\$2	US-PGPUB;	14:21
			EPO; JPO;	
. i			DERWENT; IBM TDB	
_	2913	(wildcard\$1 wild-card\$1 (wild near2	USPAT;	2003/07/01
		card\$1))	US-PGPUB;	09:07
			EPO; JPO;	
1			DERWENT;	
L			IBM_TDB	<u> </u>

_	29	((wildcard\$1 wild-card\$1 (wild near2	USPAT;	2003/07/07
ļ		card\$1))) and (four near3 rang\$3)	US-PGPUB;	10:51
			EPO; JPO;	
			DERWENT;	
	}		IBM TDB	

	Туре	Hits	Search Text	DBs
1	BRS	120	((data-base) or (data adj base) or (database)) same wildcard\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	212	707/.ccls. and wildcard\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	610	707/6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	19582	data adj compression\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	265	(data adj compression\$2) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	210	((data adj compression\$2) same database) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	5	((((data adj compression\$2) same database) and memory) and range) and wild\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	132	(((data adj compression\$2) same database) and memory) and range	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Туре	Hits	Search Text	DBs
9	BRS	813	707/101.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	114	(wildcard\$2 OR wild-card\$4) AND (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	25	(wildcard\$2 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	364	370/397.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	90	370/397.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	35	370/399.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	517	370/401.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	59	370/409.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

_			•	
	Туре	Hits	Search Text	DBs
17	BRS	829	wildcard\$2 OR wild-card\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	718	(wildcard\$2 OR wild-card\$4) AND number\$2 AND data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	92	(wildcard\$2 OR wild-card\$4) SAME number\$2 SAME data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	44	determin\$4 near5 (wildcard\$2 or wild-card\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	IS&R	2	("6138123").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	69	represent\$4 near3 (wildcard\$2 or wild-card\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	65	(represent\$4 near3 (wildcard\$2 or wild-card\$4)) and determin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	14	<pre>(represent\$4 near3 (wildcard\$2 or wild-card\$4)) same determin\$4</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Туре	Hits	Search Text	DBs
25	IS&R	2	("6151631").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	IS&R	2	("6026398").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	IS&R	2	("6263341").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	3	telephone near5 wildcards	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	1	wild NEAR4 card\$1 NEAR\$4 rang\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	27355	(wild NEAR4 card\$1 NEAR\$4 rang\$4) and (sub\$5 NEAR4 number\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	1051	(wildcard\$2 OR wild-card\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	5	((wildcard\$2 OR wild-card\$4)) near5 rang\$4 near5 number\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Туре	Hits	Search Text	DBs
33	BRS	-	::::: d_dard\$/ \ \ near !\	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB